
	82028736				518000
				E4700	
x					
			[2009]401009		2009 7
	2		ZS-2014-0017		2014 3
	——				
	4664		97.5		2.09%
	4664		97.5		2.09%
	2015 6			2017 6	
	——				

~

~

2009 6

~

2009 7

~

--	--

1

2

J

3

4

GB3095-2012

[1996]352

	1				
_____ 1 6983.44m² 509.87m² 26 4664 _____ _____ [2017]009 DN400 G3-6SF _____ 17.7m 6473.57m² 2 97.5 DN400 DN200 DN300					
6	2009	7	2015	6	2017
					[2009]401009

4					
	2009	2014	2017		
	7000m ²		—	+215.52m ²	
	7000m ²	7133.64	6983.44m ²	-16.56m ²	
	7000m ²	7133.64	6983.44m ²	-16.56m ²	
					≈
4	16.56				

5

5

			0.5	0.5
			4.5	4.5
			5.0	5.0
			5.0	5.0
			1.5	1.5
			-	-

1

2

1

a

2

a

1

a

1

2.

3.

1.

2.

3.

4.

1. $\approx$

()

2.

2

CO

NO_x

THC

~

2009.5

1

2

~

3

10-22dB A

22:00-6:00

4

1

2

2

		1		
			1 2 3	
		2	1 2	
		12:00-14:00 23:00-7:00	1 2 3 12:00 14:00 22:00 7:00	
			1 2	

1

2

[illegible]

~

2015

~

1

6

6 2015

$\mu\text{g}/\text{m}^3$ MCP AM01.71 4

	11.8	1.18	10
	8.87	4.44	2.0
	0.836	2.09	0.4
	13.19	6.60	2.0
	0.021	0.02	1.0
	0.021	0.01	2.0
	0.42	0.28	1.5
	0.0011	0.06	0.02
	0.0019	0.02	0.1
	0.00003	0.03	0.001
	0.00077	0.08	0.01
	0.006	0.06	0.1
	0.0050	0.05	0.1
	0.002	0.01	0.2
	0.002	0.02	0.1
	0.31	0.31	1.0
	0.197	0.66	0.3
	0.02	0.02	1.0
	84000	2.10	40000

1 V

~

2015



2015

24


73.0

26.9%

24



2




2






1

2

3

4





--	--

